

SECONDARY ENZYME CONJUGATES

Preparation - The conjugation of enzymes to antibodies and antibody fragments is performed under defined conditions to produce optimally-labeled products. Alkaline phosphatase (from calf intestine) conjugates are prepared using a one-step glutaraldehyde method. Horseradish peroxidase and glucose oxidase (from *A. niger*) conjugates are prepared using a two-step glutaraldehyde method. All conjugated antibodies and fragments are purified by gel filtration and dialyzed into the appropriate buffer. AP conjugates are supplied in 0.03M Tris, 0.14M sodium chloride, pH 8.0 with 1% BSA and 0.05% sodium azide. Glucose oxidase conjugates are in 0.02M sodium phosphate, 0.14M sodium chloride, pH 7.3 with 10% glycerol, 1% BSA and 0.05% sodium azide. HRP conjugates are supplied in 0.02M sodium phosphate, 0.14M sodium chloride, pH 7.3 with 0.01% thimerosal.

All conjugates are adjusted to standard ELISA titer and/or protein concentration. They are filtered through 0.22 μ m filters and aseptically vialled. Generally, conjugates of affinity purified antibodies and fragments are supplied as liquid, whereas, conjugated IgG fractions, Fab fragments and F(ab')₂ fragments are lyophilized.

Specifications - Enzyme conjugated antibodies are tested at a minimum of 10 mg/ml by immunoelectrophoresis for the same purity and specificity requirements as the corresponding unconjugated antibodies or fragments. They are assayed for titer using ELISA procedures and the titer for each lot is reported on the product insert.

Storage - Typically, enzyme conjugated antibodies have a shelf life of at least five years from the date of manufacture when stored as recommended on the vial labels and their direct inserts.

Unopened liquid products may be stored at 2-8°C. After opening, these products may be stored at 2-8°C for several weeks. Glycerol (40% v/v) may be added to prevent freezing for long term storage and -20°C.

Unopened lyophilized products may be stored from 2-8°C or lower. After reconstitution, they may be stored from 2-8°C for only a few weeks. HRP conjugates of IgG fractions, Fab fragments and F(ab')₂ fragments may be aliquoted and stored at -20°C or lower for long term storage. Repeated freezing and thawing is NOT recommended.

Applications - Enzyme conjugated antibodies are suitable for EIA, ELISA, cell and tissue staining for light and electron (peroxidase) microscopy, and blot immunostaining. The following table details recommendations based on product type.

	IgG Fract.	Fab Frag.	F(ab') ₂ Frag.	Aff. Purified	Aff. Pur. F(ab') ₂
Cell and Tissue Staining					
- General	+	•	•	+	•
- Cells with Fc Receptors		+	+		+
- Intracellular	•	+	+	•	+
- Tissue Sections for EM	•	+	+	•	+
Enzyme Immunoassays	+	•	•	+	•
Immunoblotting	+	•	•	+	•
+ Recommended • Acceptable					

Advantages

Alkaline Phosphatase: 1. AP gives lower non-specific backgrounds than other enzyme conjugates. 2. It may be used in solution Enzyme Immunoassays or in immunostaining of blots, cells or tissues. AP catalyzes enzymatic reactions which generate either soluble or insoluble colored (or fluorescent) products. 3. Most AP substrates and products are non-hazardous chemicals.

Glucose Oxidase: 1. Most mammalian cells and tissues lack endogenous glucose oxidase thereby eliminating this source of background. 2. Glucose oxidase conjugates may be used in immunostaining of blots, cells or tissues. It catalyzes enzymatic reactions which can be coupled to generate insoluble colored products.

Horseradish Peroxidase: 1. Peroxidase contains electron-opaque iron ions which allows for use as the label for electron microscopy. 2. HRP may be used in solution Enzyme Immunoassays or in immunostaining of blots, cells or tissues. HRP catalyzes an enzymatic reaction which can be coupled to the generation of either soluble or insoluble colored (or fluorescent) probes. 3. HRP reactions have very high turnover rates providing good sensitivity with short reaction times.

Disadvantages

Alkaline Phosphatase: 1. There is the presence of background staining in cells with high endogenous phosphatase activities. 2. Low sensitivity (signal-to-noise) relative to HRP. However, this can be offset by allowing the enzyme reaction to proceed for a longer time. AP has a much lower turnover rate than HRP, but the reaction rate of alkaline phosphatase remains linear much longer than the reaction rate of HRP.

Glucose Oxidase: 1. These conjugates are not particularly suited for solution Enzyme Immunoassay.

Horseradish Peroxidase: 1. Some cells and tissues demonstrate high backgrounds unless pretreated to poison endogenous peroxidases. 2. Some additional blocking steps or washing steps may be necessary for HRP conjugates because they tend to be stickier than other enzyme conjugates.

Antibodies to Human Antigens

55235 0-5°C **ALBUMIN, HUMAN** 2 ml
POLYCLONAL ANTIBODY
 Anti-Human
 Host: goat
 Form: lyophilized
 Applications: Immunoblotting.
 This is an anti-human albumin goat IgG isotype antibody.
 HRP Conjugated

55236 0-5°C **α₁-ANTITRYPSIN** 2 ml
POLYCLONAL ANTIBODY
 Anti-Human
 Host: goat
 Form: lyophilized
 Applications: Immunoblotting; ELISA.
 The antibody isotype is goat IgG.
 HRP Conjugated

CATALOG
NUMBER

55237 **COMPLEMENT C3** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
(Anti-C3)
Anti-Human
Host: goat (IgG)
Form: lyophilized (IgG)
Applications: Immunoblotting.
HRP Conjugated

55239 **FIBRINOGEN** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: goat
Form: lyophilized (IgG)
Applications: ELISA; Immunoblotting; Immunostaining.
HRP Conjugated

55240 **FIBRONECTIN** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: goat
Form: lyophilized (IgG)
Applications: ELISA; Immunoblotting; Immunostaining.
HRP Conjugated

55215 **IgA, Secretory** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55216 **IgA, α -Specific** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: goat
Form: lyophilized IgG
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55243 **IgA, α -Specific** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: goat
Form: lyophilized F(ab')₂.
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

59286 **IgA, α -Specific** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: goat
Form: affinity purified liquid.
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

CATALOG
NUMBER

55251 **IgA, α -Specific** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: sheep
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55218 **IgE, ϵ -Specific** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55220 **IgG, Whole Molecule** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: goat
Form: lyophilized IgG
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55244 **IgG, Whole Molecule** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: goat
Form: lyophilized (F(ab')₂)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

59290 **IgG, Whole Molecule** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55252 **IgG, Whole Molecule** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

59285 **IgG, Whole Molecule** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: goat
Form: affinity purified liquid F(ab')₂
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

Cappel Research Reagents

CATALOG NUMBER

55221 **IgG, Whole Molecule** 2 ml
POLYCLONAL ANTIBODY
Anti-Human
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55224 **IgG F(ab')₂** 2 ml
POLYCLONAL ANTIBODY
Anti-Human
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55245 **IgG F(ab')₂** 2 ml
POLYCLONAL ANTIBODY
Anti-Human
Host: goat
Form: lyophilized (F(ab')₂)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55254 **IgG F(ab')₂** 2 ml
POLYCLONAL ANTIBODY
Anti-Human
Host: sheep
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55223 **IgG Fab** 2 ml
POLYCLONAL ANTIBODY
Anti-Human
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55226 **IgG Fc, γ -Specific** 2 ml
POLYCLONAL ANTIBODY
Anti-Human
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55246 **IgG Fc, γ -Specific** 2 ml
POLYCLONAL ANTIBODY
Anti-Human
Host: goat
Form: lyophilized F(ab')₂
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

CATALOG NUMBER

59289 **IgG Fc, γ -Specific** 1 ml
POLYCLONAL ANTIBODY
Anti-Human
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55253 **IgG Fc, γ -Specific** 2 ml
POLYCLONAL ANTIBODY
Anti-Human
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55227 **IgG Fc, γ -Specific** 2 ml
POLYCLONAL ANTIBODY
Anti-Human
Host: rabbit
Form: lyophilized (IgG).
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55228 **IgM, 5 Fc μ -Specific** 2 ml
POLYCLONAL ANTIBODY
Anti-Human
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55247 **IgM, 5 Fc μ -Specific** 2 ml
POLYCLONAL ANTIBODY
Anti-Human
Host: goat
Form: lyophilized (F(ab')₂)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

59288 **IgM, 5 Fc μ -Specific** 1 ml
POLYCLONAL ANTIBODY
Anti-Human
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55255 **IgM, 5 Fc μ -Specific** 2 ml
POLYCLONAL ANTIBODY
Anti-Human
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

CATALOG
NUMBER

55229 **IgM, 5 Fc μ -Specific** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55230 **IMMUNOGLOBULINS** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
(Anti-IgG, IgA, and IgM)
Anti-Human
Host: goat
Form: lyophilized IgG
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55248 **IMMUNOGLOBULINS** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
(Anti-IgG, IgA, and IgM)
Anti-Human
Host: goat
Form: lyophilized F(ab')₂
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

59284 **IMMUNOGLOBULINS** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
(Anti-IgG, IgA, and IgM)
Anti-Human
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55256 **IMMUNOGLOBULINS** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
(Anti-IgG, IgA, and IgM)
Anti-Human
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55231 **IMMUNOGLOBULINS** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
(Anti-IgG, IgA, and IgM)
Anti-Human
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55233 **KAPPA CHAINS** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: goat
Form: lyophilized F(ab')₂
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

CATALOG
NUMBER

55242 **LACTOFERRIN** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: rabbit
Form: lyophilized IgG
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55234 **LAMBDA CHAINS** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Human
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

Antibodies to Mouse Antigens

55557 **COMPLEMENT C3** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
(Anti-C3)
Anti-Mouse
Host: goat
Form: lyophilized (IgG)
Applications: Immunoblotting.
HRP Conjugated

55549 **IgA, α -Specific** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55550 **IgG, Whole Molecule** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: lyophilized IgG
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55559 **IgG, Whole Molecule** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: lyophilized (F(ab')₂)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

59296 **IgG, Whole Molecule** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

CATALOG NUMBER

55571 IgG, Whole Molecule 2 mg
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
Glucose Oxidase Conjugated

55563 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: affinity purified
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

59303 IgG, Whole Molecule 1 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: affinity purified liquid F(ab')₂
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55572 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: affinity purified liquid F(ab')₂
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55551 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55564 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: rabbit
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55552 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: sheep
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

CATALOG NUMBER

55565 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: sheep
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55558 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: sheep
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
 This antibody is NOT cross-reactive with human IgG whole molecule.
HRP Conjugated

59293 IgG, Whole Molecule 1 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: sheep
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
 This antibody is NOT cross reactive with human IgG whole molecule.
AP Conjugated

55569 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: sheep
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
 This antibody is NOT cross reactive with human IgG whole molecule.
HRP Conjugated

59305 IgG, Whole Molecule 1 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: sheep
Form: affinity purified liquid F(ab')₂
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
 This antibody is NOT cross-reactive with human IgG whole molecule.
AP Conjugated

55575 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: sheep
Form: affinity purified liquid (F(ab')₂)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
 This antibody is NOT cross-reactive with human IgG whole molecule.
HRP Conjugated

CATALOG
NUMBER

50282 **IgG₁** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: rabbit
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

59569 **IgG₁** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: rabbit
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated
This antibody does NOT cross-react with human IgG₁.

50283 **IgG_{2a}** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: rabbit
Form: affinity purified liquid.
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

59570 **IgG_{2a}** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: rabbit
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated
This antibody does NOT cross-react with human IgG_{2a}.

59571 **IgG_{2b}** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: rabbit
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated
This antibody does NOT cross-react with human IgG_{2b}.

59572 **IgG₃** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: rabbit
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated
This antibody does NOT cross-react with human IgG serum proteins.

55553 **IgG F(ab')₂** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

CATALOG
NUMBER

55560 **IgG F(ab')₂** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: lyophilized F(ab')₂
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55567 **IgG F(ab')₂** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55554 **IgG Fc, γ-Specific** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55561 **IgG Fc, γ-Specific** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: lyophilized (F(ab')₂)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

59297 **IgG Fc, γ-Specific** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55566 **IgG Fc, γ-Specific** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55555 **IgM, μ-Specific** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: lyophilized IgG
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

CATALOG NUMBER

59295 **IgM, μ -Specific** 1 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55568 **IgM, μ -Specific** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

59353 **IgM, μ -Specific** 1 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: affinity purified F(ab')₂ liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55574 **IgM, μ -Specific** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Mouse
Host: goat
Form: affinity purified (F(ab')₂) liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55556 **IMMUNOGLOBULINS** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
 (Anti-IgG, IgA, and IgM)
Anti-Mouse
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

59294 **IMMUNOGLOBULINS** 1 ml
 0-5°C **POLYCLONAL ANTIBODY**
 (Anti-IgG, IgA, and IgM)
Anti-Mouse
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55570 **IMMUNOGLOBULINS** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
 (Anti-IgG, IgA, and IgM)
Anti-Mouse
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

CATALOG NUMBER

59304 **IMMUNOGLOBULINS** 1 ml
 0-5°C **POLYCLONAL ANTIBODY**
 (Anti-IgG, IgA, and IgM)
Anti-Mouse
Host: goat
Form: affinity purified F(ab')₂ liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55576 **IMMUNOGLOBULINS** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
 (Anti-IgG, IgA, and IgM)
Anti-Mouse
Host: goat
Form: affinity purified F(ab')₂ liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

11355 **IMMUNOGLOBULINS** 1 ml
 0-5°C **POLYCLONAL ANTIBODY**
 (Anti-IgG, IgA, and IgM)
Anti-Mouse
Host: rabbit
Form: affinity purified liquid
Conc/Titer: 1:20-1:2,000
Applications: ELISA; Immunohistochemistry.
HRP Conjugated

Antibodies to Rabbit Antigens

55676 **IgG, Whole Molecule** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55688 **IgG, Whole Molecule** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: goat
Form: lyophilized (Fab)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55686 **IgG, Whole Molecule** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: goat
Form: lyophilized (F(ab')₂)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

CATALOG
NUMBER

59298 **IgG, Whole Molecule** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55689 **IgG, Whole Molecule** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

59306 **IgG, Whole Molecule** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: goat
Form: affinity purified F(ab')₂ liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55693 **IgG, Whole Molecule** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: goat
Form: affinity purified (F(ab')₂) liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55677 **IgG, Whole Molecule** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: sheep
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55685 **IgG, Whole Molecule** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
This antibody is NOT cross-reactive with human IgG whole molecule.
HRP Conjugated

55678 **IgG F(ab')₂** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

CATALOG
NUMBER

55687 **IgG F(ab')₂** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: goat
Form: lyophilized F(ab')₂
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

59299 **IgG F(ab')₂** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55691 **IgG F(ab')₂** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55679 **IgG Fc, γ-Specific** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55652 **IgG Fc, γ-Specific** 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55690 **IgG Fc, γ-Specific** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55680 **IgG Fc, γ-Specific** 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Rabbit
Host: sheep
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

CATALOG NUMBER		
55681 0-5°C	IgM, μ-Specific POLYCLONAL ANTIBODY Anti-Rabbit Host: goat Form: lyophilized (IgG) Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections. HRP Conjugated	2 ml
55682 0-5°C	IMMUNOGLOBULINS POLYCLONAL ANTIBODY (Anti-IgG, IgA, and IgM) Anti-Rabbit Host: goat Form: lyophilized (IgG) Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections. HRP Conjugated	2 ml
11351 0-5°C	IMMUNOGLOBULINS POLYCLONAL ANTIBODY (Anti-IgG, IgA, and IgM) Anti-Rabbit Host: swine Form: affinity Purified liquid Conc/Titer: 1:2-1:2,000 Applications: ELISA; Immunohistochemistry. HRP Conjugated	1 ml

Antibodies to Rat Antigens

55775 0-5°C	ALBUMIN, RAT POLYCLONAL ANTIBODY Anti-Rat Host: rabbit Form: lyophilized (IgG) Applications: Immunoblotting. HRP Conjugated	2 ml
55776 0-5°C	ALBUMIN, RAT POLYCLONAL ANTIBODY Anti-Rat Host: sheep Form: lyophilized (IgG) Applications: Immunoblotting. HRP Conjugated	2 ml
55777 0-5°C	COMPLEMENT C3 POLYCLONAL ANTIBODY (Anti-C3) Anti-Rat Host: goat Form: lyophilized (IgG) Applications: Immunoblotting. HRP Conjugated	2 ml
55770 0-5°C	IgG, Whole Molecule POLYCLONAL ANTIBODY Anti-Rat Host: goat Form: lyophilized (IgG) Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections. HRP Conjugated	2 ml

CATALOG NUMBER		
59291 0-5°C	IgG, Whole Molecule POLYCLONAL ANTIBODY Anti-Rat Host: goat Form: lyophilized (F(ab') ₂) Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections. AP Conjugated	1 ml
55783 0-5°C	IgG, Whole Molecule POLYCLONAL ANTIBODY Anti-Rat Host: goat Form: lyophilized F(ab') ₂ Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections. HRP Conjugated	2 ml
59287 0-5°C	IgG, Whole Molecule POLYCLONAL ANTIBODY Anti-Rat Host: goat Form: affinity purified (F(ab') ₂) liquid Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections. AP Conjugated	1 ml
55785 0-5°C	IgG, Whole Molecule POLYCLONAL ANTIBODY Anti-Rat Host: goat Form: affinity purified F(ab') ₂ liquid Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections. HRP Conjugated	2 ml
55771 0-5°C	IgG, Whole Molecule POLYCLONAL ANTIBODY Anti-Rat Host: rabbit Form: lyophilized (IgG) Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections. HRP Conjugated	2 ml
56404 0-5°C	IgG, Whole Molecule POLYCLONAL ANTIBODY Anti-Rat Host: goat Form: lyophilized (IgG) Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections. This antibody is NOT cross-reactive with human IgG whole molecule. HRP Conjugated	2 ml
59302 0-5°C	IgG, Whole Molecule POLYCLONAL ANTIBODY Anti-Rat Host: goat Form: affinity purified liquid Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections. This antibody is NOT cross-reactive with human IgG whole molecule. AP Conjugated	1 ml

CATALOG
NUMBER

55778 **IgG, Whole Molecule** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Rat
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
 This antibody is NOT cross-reactive with mouse IgG whole molecule.
HRP Conjugated

59301 **IgG, Whole Molecule** 1 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Rat
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
 This antibody is NOT cross-reactive with mouse IgG whole molecule.
AP Conjugated

55781 **IgG, Whole Molecule** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Rat
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
 This antibody is NOT cross-reactive with mouse IgG whole molecule.
HRP Conjugated

55773 **IgM, μ -Specific** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Rat
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

59300 **IgM, μ -Specific** 1 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Rat
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55780 **IgM, μ -Specific** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Rat
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

CATALOG
NUMBER

59354 **IgM, μ -Specific** 1 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Rat
Host: goat
Form: affinity purified F(ab')₂ liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55774 **IMMUNOGLOBULINS** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
 (Anti-IgG, IgA, and IgM)
Anti-Rat
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

Antibodies to Other Antigens

55285 **ALBUMIN, BOVINE** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Bovine
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunoblotting.
HRP Conjugated

55284 **IgG, Whole Molecule** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Bovine
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

56994 **IgG, Whole Molecule** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Bovine
Host: rabbit
Form: affinity purified liquid
Applications: Immunoblotting.
HRP Conjugated

55293 **IgG, Whole Molecule** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Cat
Host: goat
Form: lyophilized (IgG).
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55294 **IgG, Whole Molecule** 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Cat
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

Cappel Research Reagents

CATALOG NUMBER

55308 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Chicken
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

56997 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Chicken
Host: rabbit
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55332 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Dog
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

56999 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Dog
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55334 IgM, μ -Specific 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Dog
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55358 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Goat
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55362 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Goat
Host: rabbit
Form: lyophilized (F(ab')₂)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

CATALOG NUMBER

59292 IgG, Whole Molecule 1 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Goat
Host: rabbit
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

55363 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Goat
Host: rabbit
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55364 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Goat
Host: rabbit
Form: affinity purified F(ab')₂ liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55359 IgG F(ab')₂ 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Goat
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55360 IgG Fc, γ -Specific 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Goat
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55393 COMPLEMENT C3 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
 (Anti-C3)
Anti-Guinea Pig
Host: goat
Form: lyophilized (IgG)
Applications: Immunoblotting.
HRP Conjugated

55391 IgG, Whole Molecule 2 ml
 0-5°C **POLYCLONAL ANTIBODY**
Anti-Guinea Pig
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

CATALOG
NUMBER

57001 IgG, Whole Molecule 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Guinea Pig
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55392 IgG, Whole Molecule 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Guinea Pig
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55402 IgG, Whole Molecule 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Hamster
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

57003 IgG, Whole Molecule 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Hamster
Host: goat
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55416 IgG, Whole Molecule 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Horse
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55417 IgG, Whole Molecule 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Horse
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55432 IgG, Whole Molecule 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Monkey
Host: goat
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

CATALOG
NUMBER

55433 IgG, Whole Molecule 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Monkey
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55814 IgG, Whole Molecule 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Sheep
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

56991 IgG, Whole Molecule 1 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Sheep
Host: rabbit
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
AP Conjugated

56992 IgG, Whole Molecule 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Sheep
Host: rabbit
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

55826 IgG, Whole Molecule 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Swine
Host: rabbit
Form: lyophilized (IgG)
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated

56989 IgG, Whole Molecule 2 ml
0-5°C **POLYCLONAL ANTIBODY**
Anti-Swine
Host: rabbit
Form: affinity purified liquid
Applications: Immunostaining of acetone-fixed frozen and formalin-fixed, paraffin-embedded tissue sections.
HRP Conjugated